


WEBOO BILLIARDS

9FT POOL TABLE ASSEMBLY INSTRUCTION



IMPORTANT :

This instruction is designed for professional 9FT pool tables. Please read through the instruction book before attempting assembly to familiarize yourself with all parts and assembly steps.

We've tried our best to state all steps clearly, but please understand that we couldn't draw all the details completely due to the complexity of some steps. So we highly recommend you find and watch the video instruction on the home page of above websites.

If the installation is still difficult for you after reading instruction book and watching the video, please feel free to contact us, as we also provide affordable and professional installation service for most areas.

Before Assembling Slate Pool Tables






























Thank you for purchasing WEBOO products. Please read carefully these precautions about the assembly before start assembling your tables.














- 1 Choose a right place to position your slate table. The place you want to put your table should be as flat as possible. Otherwise this will increase the difficulty of leveling which is not easy for an unprofessional installer.
- 2 Once you find a suitable place, please start installing at this exact location, because when you finish the installation, you cannot move the table anymore. Moving slate table will cause the table to be uneven. An uneven table, even one that's only slightly off, will cause the pool balls to roll and adversely affect the accuracy of your shots.
- 3 Before assembling, we recommend installer preparing necessary tools as mentioned below.
 - Level,
 - Sandpaper,
 - Putty (Builder's bog is available in Bunnings),
 - Staple gun or Spray adhesive,
 - Needle Nose Plier,
 - Shims,
 - Screwdriver (Electrical is recommended)
- 4 Two or more persons are needed for assembly. Pay careful attention during transport or assembly as slate pool tables are very heavy.
- 5 Be sure to wear protective gear like work gloves to avoid injury during assembly.
- 6 Be sure to protect the floor, wall or surrounding furniture with carpet, blanket or shock-absorbing materials during assembly in order not to damage them. Assembly work should be done where there is enough space.

Maintaining Slate Pool Tables

- Never lift, move or sit on your table due to easy breakage of slate.
- Keep your table in a dry, cool space and away from any sharp instruments.
- Please use a dry cloth to clean the timber surface.
- Do not eat, drink or smoke over the table. Remember to cover the table after playing.
- If any relocation, re-felting, refurbishment or removal services are required, please contact us to experience the professional services.


PARTS IDENTIFIER

A1  Leg Post 2PCS	A2  Bridge box 1PCS	B  Angle iron 4PCS	C  Long Frame 2PCS	D  Short Frame 4PCS
E  Slate 3PCS	F  Balls collector 1PCS	G  End Cushion Rail 2PCS	H  Right Cushion Rail 2PCS	
I  Left Cushion Rail 2PCS	J  Long Apron 2PCS	K  Short Apron 2PCS	L  Corner Casting 4PCS	
M  Leg Leveler 4PCS	N  Corner Protection 4PCS	O  Molded Pocket 6PCS	P  Side Casting 2PCS	
Q  Angle Iron Bolt 3/8"x50mm 8PCS	R  Angle Iron Nut 8PCS	S  3/8"x28x2mm 16PCS	T  Rail Casting Bolt 3/8"x50mm 18PCS	
U  Rail washer 3/8"x34mm 18PCS	V  Apron Bolt 3/8"x50mm 12PCS	W  Apron Washer 3/8"x28x2mm 12PCS	X  Bridge box Bolt 3/8"x70mm 4PCS	
Y  Bridge box Washer 3/8"x28x2mm 4PCS	Z  Frame Bolt 3/8"x70mm 8PCS	①  Frame Washer 3/8"x28x2mm 16PCS	②  Frame Nut 3/8"x28mm 8PCS	


<p>③</p>  <p>Corner Casting Bolt 3/8"x50mm 12PCS</p>	<p>④</p>  <p>Corner Casting Washer 3/8"x32x2mm 12PCS</p>	<p>⑤</p>  <p>Corner protection 4x4=16pc</p>	<p>⑥</p>  <p>Pocket Allen wrench 1PCS</p>
<p>⑦</p>  <p>Pocket screw 12PCS</p>	<p>⑧</p>  <p>Balls collector Bolt 3/8"x50mm 2PCS</p>	<p>⑨</p>  <p>Balls collector Washer 3/8"x28x2mm 4PCS</p>	<p>⑩</p>  <p>Balls collector nut 3/8" I.D. 2PCS</p>
<p>⑪</p>  <p>Frame Screw 5x60mm 8PCS</p>	<p>⑫</p>  <p>Slate Screw 5x60mm 12PCS</p>	<p>⑬</p>  <p>Ball Track Screw 3x25mm 24PCS</p>	<p>⑭</p>  <p>Screw for leg 3x40mm 12PCS</p>
<p>⑮</p>  <p>Screw for ball collectors 5x41mm 4PCS</p>			

1.LEG CONNECTION


X2




2.bridge box connection.




3.L (angle iron 83x83mm) connection.




4. Long frame connection.




5. short frame connection.




6. Slate Assembly.




7. Adjust level.




8. Cushion Rail connected with corner casting and side casting.




9. Apron miter connection.




10.connection.






11.Ball Track connection.







12.ball return box connection.



13.pocket connection.



X6